

평행사변형의 두 대각선은 서로 다른 것을
이등분한다.
(The diagonals of the parallelogram bisect each other.)

The diagonals of the parallelogram bisect each other.

The diagonals of the parallelogram bisect each other.




The diagonals of the parallelogram bisect each other.




The diagonals of the parallelogram bisect each other.




The diagonals of the parallelogram bisect each other.




The diagonals of the parallelogram bisect each other.




The diagonals of the parallelogram bisect each other.




The diagonals of the parallelogram bisect each other.




The diagonals of the parallelogram bisect each other.




The diagonals of the parallelogram bisect each other.




The diagonals of the parallelogram bisect each other.




The diagonals of the parallelogram bisect each other.




The diagonals of the parallelogram bisect each other.





The diagonals of the parallelogram bisect each other.



The diagonals of the parallelogram bisect each other.





The diagonals of the parallelogram bisect each other.





\therefore 평행사변형의 두 쌍의 대변의 길이는 각각 같다.
(Two pairs of opposite sides of the parallelogram are equal in length.)

The diagonals of the parallelogram bisect each other.





\therefore 평행사변형의 두 쌍의 대변의 길이는 각각 같다.
(Two pairs of opposite sides of the parallelogram are equal in length.)

The diagonals of the parallelogram bisect each other.



\therefore 평행사변형의 두 쌍의 대변의 길이는 각각 같다.
(Two pairs of opposite sides of the parallelogram are equal in length.)



The diagonals of the parallelogram bisect each other.



ASA 합동
(ASA Congruent)

\therefore 평행사변형의 두 쌍의 대변의 길이는 각각 같다.
(Two pairs of opposite sides of the parallelogram are equal in length.)



The diagonals of the parallelogram bisect each other.



ASA 합동
(ASA Congruent)

\therefore 평행사변형의 두 쌍의 대변의 길이는 각각 같다.
(Two pairs of opposite sides of the parallelogram are equal in length.)

The diagonals of the parallelogram bisect each other.



ASA 합동
(ASA Congruent)

\therefore 평행사변형의 두 쌍의 대변의 길이는 각각 같다.
(Two pairs of opposite sides of the parallelogram are equal in length.)

The diagonals of the parallelogram bisect each other.

github:

<https://min7014.github.io/math20191208001.html>

Click or paste URL into the URL search bar, and you can see a picture moving.