

$$\frac{\sqrt{a}}{\sqrt{b}} = \sqrt{\frac{a}{b}} \quad (a, b > 0)$$

$$\left(\frac{\sqrt{a}}{\sqrt{b}} \right)^2$$

$$\frac{\sqrt{a}}{\sqrt{b}} = \sqrt{\frac{a}{b}} \quad (a, b > 0)$$

$$\left(\frac{\sqrt{a}}{\sqrt{b}} \right)^2 = \frac{(\sqrt{a})^2}{(\sqrt{b})^2}$$

$$\frac{\sqrt{a}}{\sqrt{b}} = \sqrt{\frac{a}{b}} \quad (a, b > 0)$$

$$\left(\frac{\sqrt{a}}{\sqrt{b}} \right)^2 = \frac{(\sqrt{a})^2}{(\sqrt{b})^2}$$

$$= \frac{a}{b}$$

$$\frac{\sqrt{a}}{\sqrt{b}} = \sqrt{\frac{a}{b}} \quad (a, b > 0)$$

$$\left(\frac{\sqrt{a}}{\sqrt{b}} \right)^2 = \frac{(\sqrt{a})^2}{(\sqrt{b})^2}$$

$$= \frac{a}{b}$$

$$x^2 = \frac{a}{b}$$

$$\frac{\sqrt{a}}{\sqrt{b}} = \sqrt{\frac{a}{b}} \quad (a, b > 0)$$

$$\left(\frac{\sqrt{a}}{\sqrt{b}} \right)^2 = \frac{(\sqrt{a})^2}{(\sqrt{b})^2}$$

$$= \frac{a}{b}$$

$$x^2 = \frac{a}{b} \quad x = \sqrt{\frac{a}{b}}, -\sqrt{\frac{a}{b}}$$

$$\frac{\sqrt{a}}{\sqrt{b}} = \sqrt{\frac{a}{b}} \quad (a, b > 0)$$

$$\left(\frac{\sqrt{a}}{\sqrt{b}} \right)^2 = \frac{(\sqrt{a})^2}{(\sqrt{b})^2}$$

$$= \frac{a}{b}$$

$$x^2 = \frac{a}{b} \quad x = \sqrt{\frac{a}{b}}, -\sqrt{\frac{a}{b}}$$

$$\frac{\sqrt{a}}{\sqrt{b}} > 0 \circ] \text{므로}$$

$$\frac{\sqrt{a}}{\sqrt{b}} = \sqrt{\frac{a}{b}} \quad (a, b > 0)$$

$$\left(\frac{\sqrt{a}}{\sqrt{b}} \right)^2 = \frac{(\sqrt{a})^2}{(\sqrt{b})^2}$$

$$= \frac{a}{b}$$

$$x^2 = \frac{a}{b} \quad x = \sqrt{\frac{a}{b}}, -\sqrt{\frac{a}{b}}$$

$$\frac{\sqrt{a}}{\sqrt{b}} > 0 \circ] \text{므로}$$

∴

$$\frac{\sqrt{a}}{\sqrt{b}} = \sqrt{\frac{a}{b}} \quad (a, b > 0)$$

$$\left(\frac{\sqrt{a}}{\sqrt{b}} \right)^2 = \frac{(\sqrt{a})^2}{(\sqrt{b})^2}$$

$$= \frac{a}{b}$$

$$x^2 = \frac{a}{b} \quad x = \sqrt{\frac{a}{b}}, -\sqrt{\frac{a}{b}}$$

$$\frac{\sqrt{a}}{\sqrt{b}} > 0 \circ] \text{므로}$$

$$\therefore \frac{\sqrt{a}}{\sqrt{b}} = \sqrt{\frac{a}{b}} \quad (a, b > 0)$$

$$\frac{\sqrt{a}}{\sqrt{b}} = \sqrt{\frac{a}{b}} \quad (a, b > 0)$$

$$\left(\frac{\sqrt{a}}{\sqrt{b}} \right)^2 = \frac{(\sqrt{a})^2}{(\sqrt{b})^2}$$

$$= \frac{a}{b}$$

$$x^2 = \frac{a}{b} \quad x = \sqrt{\frac{a}{b}}, -\sqrt{\frac{a}{b}}$$

$$\frac{\sqrt{a}}{\sqrt{b}} > 0 \circ] \text{므로}$$

$$\therefore \frac{\sqrt{a}}{\sqrt{b}} = \sqrt{\frac{a}{b}} \quad (a, b > 0)$$

$$\frac{\sqrt{a}}{\sqrt{b}} = \sqrt{\frac{a}{b}} \quad (a, b > 0)$$

github:

<https://min7014.github.io/math20200105002.html>

Click or paste URL into the URL search bar, and you can see a picture moving.