

분수방정식 기본 예제

(Basic Example of Fractional Equations)

Basic Example of Fractional Equations

▶ Start

▶ End

Basic Example of Fractional Equations

▶ Start

▶ End

Basic Example of Fractional Equations

▶ Start

▶ End

$$\frac{x}{x+1} + \frac{2}{1-x} = \frac{4}{1-x^2} \cdots (1)$$

Basic Example of Fractional Equations

▶ Start

▶ End

$$\frac{x}{x+1} + \frac{2}{1-x} = \frac{4}{1-x^2} \cdots (1)$$

$$(x+1)(x-1) \times \left(\frac{x}{x+1} + \frac{2}{1-x} \right) = \frac{4}{1-x^2} \times (x+1)(x-1)$$

Basic Example of Fractional Equations

▶ Start

▶ End

$$\frac{x}{x+1} + \frac{2}{1-x} = \frac{4}{1-x^2} \cdots (1)$$

$$(x+1)(x-1) \times \left(\frac{x}{x+1} + \frac{2}{1-x} \right) = \frac{4}{1-x^2} \times (x+1)(x-1)$$

$$x(x-1) - 2(x+1) = -4$$

Basic Example of Fractional Equations

▶ Start

▶ End

$$\frac{x}{x+1} + \frac{2}{1-x} = \frac{4}{1-x^2} \cdots (1)$$

$$(x+1)(x-1) \times \left(\frac{x}{x+1} + \frac{2}{1-x} \right) = \frac{4}{1-x^2} \times (x+1)(x-1)$$

$$x(x-1) - 2(x+1) = -4$$

$$x^2 - 3x + 2 = 0$$

Basic Example of Fractional Equations

▶ Start

▶ End

$$\frac{x}{x+1} + \frac{2}{1-x} = \frac{4}{1-x^2} \cdots (1)$$

$$(x+1)(x-1) \times \left(\frac{x}{x+1} + \frac{2}{1-x} \right) = \frac{4}{1-x^2} \times (x+1)(x-1)$$

$$x(x-1) - 2(x+1) = -4$$

$$x^2 - 3x + 2 = 0$$

$$(x-1)(x-2) = 0$$

Basic Example of Fractional Equations

▶ Start

▶ End

$$\frac{x}{x+1} + \frac{2}{1-x} = \frac{4}{1-x^2} \cdots (1)$$

$$(x+1)(x-1) \times \left(\frac{x}{x+1} + \frac{2}{1-x} \right) = \frac{4}{1-x^2} \times (x+1)(x-1)$$

$$x(x-1) - 2(x+1) = -4$$

$$x^2 - 3x + 2 = 0$$

$$(x-1)(x-2) = 0 \quad x = 1, 2$$

Basic Example of Fractional Equations

▶ Start

▶ End

$$\frac{x}{x+1} + \frac{2}{1-x} = \frac{4}{1-x^2} \cdots (1)$$

$$(x+1)(x-1) \times \left(\frac{x}{x+1} + \frac{2}{1-x} \right) = \frac{4}{1-x^2} \times (x+1)(x-1)$$

$$x(x-1) - 2(x+1) = -4$$

$$x^2 - 3x + 2 = 0$$

$$(x-1)(x-2) = 0 \quad x = 1, 2$$

$x = 1$ 일 때 (1)식의 분모가 0이 되므로 무연근 이다.

Basic Example of Fractional Equations

▶ Start

▶ End

$$\frac{x}{x+1} + \frac{2}{1-x} = \frac{4}{1-x^2} \cdots (1)$$

$$(x+1)(x-1) \times \left(\frac{x}{x+1} + \frac{2}{1-x} \right) = \frac{4}{1-x^2} \times (x+1)(x-1)$$

$$x(x-1) - 2(x+1) = -4$$

$$x^2 - 3x + 2 = 0$$

$$(x-1)(x-2) = 0 \quad x = 1, 2$$

$x = 1$ 일 때 (1)식의 분모가 0이 되므로 무연근 이다.

$$\therefore x = 2$$

Github:

<https://min7014.github.io/math20210210001.html>

Click or paste URL into the URL search bar,
and you can see a picture moving.